

Product Data Sheet

NewPro - CUS Protection Wax 10

Description

NewPro - CUS Protection Wax 10 is a specially developed sacrificial layer to protect against penetration of water, soiling, sea water, etc.

Application Areas

NewPro - CUS Protection Wax 10 is used as a protective film or temporary separating layer at steel or stainless steel surfaces.

Product Properties

NewPro - CUS Protection Wax is a protective layer based on water vapor permeable micro wax and silicones. Fluids and dirt can not penetrate the surface.

- Ready to use, no blending necessary
- Weatherproof
- Water repellent
- Odourless
- Explosion proof
- Dries fast
- Easy to use
- Temperature resistant

Processing Instructions

Surface Pre-treatment/Pre-cleaning:

All surfaces should be grease, oil, and dust free, dry and stable and suit the application area. In case of extreme soiling, repeat cleaning process.

Processing:

Apply CUS Protection Wax 10 to cleaned surface using an Airless device. Top-dress twice evenly. The overall consumption should be at approx. 120 to 180 g/m². The exact consumption amount must be calculated from a test application on the object.

Processing Conditions

Processing and drying can be done at a surface and environment temperature between +8 °C und max. +30 °C.

Protect area from humidity while drying.

Drying Times:

At 20°C and 60% humidity outside let dry 1 hour before reuse, inside let dry approx. 60 to 90 minutes. The drying time depends directly on the thickness of the layer.

Removal of Protective Layer:

The protective layer can be removed using a high-pressure cleaner at min. 85 °C and 80 bar.

Packaging Size

Packaging

- 30 kg container

Other packaging sizes on demand.

Color

- white-milky

Other Advice

Transport

- no labelling, non-hazardous product

Storage

- At room temperature in tightly closed original container approx. 6 months
- Protect against moisture, frost or heat

Disposal

- Dispose of product residue at local waste disposal offices
- Do not dispose in local sewer or other effluent system
- Remove product residue completely before recycling containers

Work Hygiene

Before breaks and after finishing product handling wash hands. Do not eat, drink or smoke while handling product. Avoid eye and skin contact. Wear protective clothing if necessary. Wearing a protective mask is not necessary, but it is advised to wear nitrile rubber or other suitable gloves.

For further information see product data safety sheet.

Keep away from children. Keep container closed. In case of eye contact, rinse off with plenty of water. In case of skin contact, wash off with water and soap. Do not eat, drink or smoke when handling product. If swallowed accidentally, consult physician and show container or label.

NewPro – New Products & Innovative Ideas for Surfaces
Lutz-Henning Robitzsch
Ricarda-Huch-Weg 2 D-40789 Monheim a. Rhein
Tel: +49 (0) 2173/964280 Fax: +49 (0) 2173/964282
eMail: news@newpro.de Internet: www.g-pro.com

GRAFFITI
MAGIC



Safety and Protective Measures

The general protective measures for water-soluble materials are to be taken. The technical advice regarding the use and application of our products is the result of extensive research and development as well as many years of experience, according to the best of our knowledge. The different kinds of requirements of an object, under varying conditions, make it necessary for the user to check the suitability for the intended purpose. We reserve the right to effectuate changes, which serve to affect the technical advance or improvement of our product.

For further information see product data safety sheet.

Product is for commercial use only.